

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	184260	servo	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:22
2	BRS	L2	1109	((shaft near3 (purality or multiple)) with (machine or mechanism or device))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:27
3	BRS	L3	26231	((detect\$6 or sens\$4 or monitor\$4) with ((amount or quantity) near3 (motor or machine or device)))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:23
4	BRS	L4	222	(((\$5processor or \$5controller) near3 signal) with (frequency near3 (resonance or noise or ripple)) with (detect\$6 or sens\$3 or monitor\$3))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:28

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>1</b>			
<b>2</b>			
<b>3</b>			
<b>4</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	58	(((\$5processor or \$5controller) near3 signal) with (frequency near3 (resonance or noise or ripple)) with (detect\$6 or sens\$3 or monitor\$3)) and vibrat\$6	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:30
6	BRS	L6	0	1 and 2 and 3 and 5	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:29
7	BRS	L7	0	1 and 2 and 3 and 4	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:29
8	BRS	L8	66	1 and 2	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:29

	Comments	Error Definition	Errors
5			
6			
7			
8			

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	0	8 and 3	US-PGPUB; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:29
10	BRS	L10	4	(((\$5processor or \$5controller) near3 signal) with (frequency near3 (resonance or noise or ripple)) with (detect\$6 or sens\$3 or monitor\$3)) and vibrat\$6 and (motor with (multi\$6 or plural\$6))	US-PGPUB; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:39
11	BRS	L11	120	((resonance near2 frequency) with (detect\$6 or monitor\$4 or sens\$3)) and (((vibration or resonance) near3 frequency) with command\$4)	US-PGPUB; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:40
12	BRS	L12	2	11 and (axis near3 (mult\$6 or plural\$6))	US-PGPUB; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:43

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>9</b>			
<b>10</b>			
<b>11</b>			
<b>12</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L13	0	((resonan\$6 near3 frequency) with (attenuat\$6 or adjust\$6 or control\$6)) and (vibrat6 near6 output)	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:48
14	BRS	L14	28005	((resonan\$6 near3 frequency) with (attenuat\$6 or adjust\$6 or control\$6))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:48
15	BRS	L15	1	1 and 2 and 14	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:52
16	BRS	L16	3115	14 and ((resonance near2 frequency) near6 (measur\$6 or detect\$6 or sens\$3 or monitor\$3))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:54

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>13</b>			
<b>14</b>			
<b>15</b>			
<b>16</b>			



	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	1798	(motor with ((plurality or mult\$6) adj2 (shaft or axis)))	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 12:56
18	BRS	L18	4	16 and 17	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:19
19	BRS	L19	1	1 and 2 and ((amount near3 operat\$6) with control\$6)	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:20
20	BRS	L20	0	19 and vibrat\$6	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:20

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>17</b>			
<b>18</b>			
<b>19</b>			
<b>20</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	24	8 and vibrat\$6	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:23
22	BRS	L22	2	21 and (resonance near3 frequency)	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:26
23	BRS	L23	16770	((resonance near3 frequency) with (attenuat\$6 or adjust\$6 or control\$6))	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:34
24	BRS	L24	204832	1 adn 23	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:27

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>21</b>			
<b>22</b>			
<b>23</b>			
<b>24</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	1037	1 and 23	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:27
26	BRS	L26	10	25 and ((shaft or motor or machine or axis) near3 (purity or multiple))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:35
27	BRS	L27	2	26 and (vibrat\$6 with motor)	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:29
28	BRS	L28	3481	((resonance near3 frequency) with (attenuat\$6 or adjust\$6 or control\$6)) and ((resonan\$6 near3 frequency) with output)	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:34

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>25</b>			
<b>26</b>			
<b>27</b>			
<b>28</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
29	BRS	L29	48	25 and ((shaft or motor or machine or axis) near3 (plurality or multiple))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 13:36
30	BRS	L30	10	28 and 29	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:23
31	BRS	L31	154	318/575.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:23
32	BRS	L32	1015	318/560.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:23

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>29</b>			
<b>30</b>			
<b>31</b>			
<b>32</b>			



	Type	L #	Hits	Search Text	DBs	Time Stamp
33	BRS	L33	345	318/568.16.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:24
34	BRS	L34	122	318/568.17.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:24
35	BRS	L35	749	901/9.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:24
36	BRS	L36	7	(31 or 32 or 33 or 34 or 35) and ((frequency near2 resonance) with (adjust\$6 or attenuat\$6 or control\$6)) and ((motor or machine) with (multi\$6 or plural\$6))	US-PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:37

	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>33</b>			
<b>34</b>			
<b>35</b>			
<b>36</b>			

	Type	L #	Hits	Search Text	DBs	Time Stamp
37	BRS	L37	0	36 and (((frequency near3 ouptut) with (detect\$6 or monitor\$3 or sens\$4)) and (graph\$6 or digit\$2 or numeric\$3) and (vibrat\$6 near3 command\$3)).clm.	US- PGPUB ; USPAT; EPO; JPO; DERWE NT	2006/03/20 14:43

	Comments	Error Definition	Errors
37			